HRAA VIJUSI The Gazette of India

EXTRAORDINARY

भाग II — खण्ड 3 — उप-खण्ड (ii) PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

ਸਂ. 116] No. 116] नई दिल्ली, मंगलवार, फरवरी 6, 2007/माघ 17, 1928

NEW DELHI, TUESDAY, FEBRUARY 6, 2007/MAGHA 17, 1928

पोत परिवहन, सड्क परिवहन और राजमार्य मंत्रालय

(सड्क परिवहन और राजमार्ग विभाग)

अधिसूचना

नई दिल्ली, 6 फरवरी, 2007

का.आ. 127(अ).— मोटरयान अधिनियम, 1988 की धारा 58 की उपधारा (3) एवं धारा 110 की उपधारा (3) (a) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्र सरकार एतदद्वारा निम्निलिखत ट्रेलरों के हरियाणा में पंजीकरण हेतु, जिनका अधिकतम सुरक्षित लदान भार और आकार संलग्न अनुसूची में उल्लिखित है, अनुमोदन प्रदान करती है -

अनुसूची

 स्वतंत्र ट्रेल

2. स्वामी मै, यू.टी.सी. कैरियर, फरीदाबाद ।

3. निर्माता मै. ट्रेटेक इंजीनियर प्रा. क्रि. , गुडगांव ।

4. ट्रेलरों की संख्या ती

5. ट्रेलरों का वर्णनः

चैसी सं.	धुरियों की	टायरों की सं.,	माप (लम्बाई x	खाली	प्रतिधुरी	भार/सकल
	संख्या	विवरण / आकार	चौड़ाई x	वजन	अधिकतम	(कि.ग्रा.)
	8		ऊंचाई)	(कि.ग्रा.)	लदान भार	10
				1	(कि.ग्रा.)	-
09/06/00426	6 पंक्ति (2	7.50 x 20, 12 प्लाई	12612 मिमि. x	27,000	18,000	1,08,000
09/06/00427	इन लाइन	प्रत्येक धुरी में	3000 मिमि.	*y.		*
	एक्सल)	8(2 पंक्तियों में	x 1250 मिमि			
		6x8=48 टायर)	•			
09/06/00428	4 पंक्ति (2	7.50 x 20, 12 प्लाई	9512 मिमि.	17,800	18,000	72,000
	इन लाइन	प्रत्येक धुरी में	x 3000 मिमि.			-
* *	एक्सल)	8(2 पंक्तियों में	x 1250 मिमि			i .
		4x8=32 टायर)		-24		

- 6. उपर्युक्त छुट इन शतों के अध्यधीन है:-
- (i) इन ट्रेलरों का कभी-कभार प्रचालन किया जाएगा ।
- (ii) लो. नि.वि. / स्थानीय प्राधिकारियों / भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा विभिन्न सड़कों के लिए विनिर्दिष्ट भार प्रतिबंधों का अनुपालन किया जाएगा और वाहनों को प्रत्येक बार सड़कों पर लाते संमय इन प्राधिकारियों से अनुमित ली जाएगी । सुरक्षा की दृष्टि से ट्रेलरों का प्रत्येक प्रचालन राज्य/ संघ शासित प्रदेश / भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के संबंधित परिवहन विभाग द्वारा अनुमोदित किया जाएगा और उस पर कडी निगरानी रखी जाएगी।
- (iii) वाहन पर खतरे संबंधी सभी झंडियां और बित्तयां लगी होनी चाहिएं, बेहतर यह होगा कि लदे हुए वाहन के आगे तथा पीछे एक-एक वाहन स्पष्ट रूप से यह दर्शाता हुआ चले कि भारी लदा हुआ वाहन गुजर रहा है।
- (iv) सड़क की चौड़ाई में ट्रेलरों को जोड़ने की अनुमित नहीं दी जाएगी।
- (v) वाहनों के आवागमन कार्यक्रम की सूचना कम-से-कम दस दिन पूर्व संबंधित कार्यपालक इंजीनियरों को दी जानी चाहिए और उनकी स्वीकृति प्राप्त कर लेनी चाहिए।
- (vi) ट्रेलरों का अलग पंजीकरण किया जाएगा, न कि संयुक्त रूप से ।
- (vii) किसी राज्य या संघ शासित प्रदेश के लोक निर्माण विभाग / भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा यदि ऐसा निर्देश दिया जाए तो लदे हुए वाहनों को उस राज्य / संघ शासित प्रदेश में सड़कों पर बने पुलों से गुजरने की अनुमित नहीं होगी और ऐसे मामलों में आवेदकों को निर्दयों / नालों को पार करने के लिए स्वयं व्यवस्था करनी होगी ।
- (Viii) बड़े आकार के कार्गों को ध्यान में रखते हुए उन्हें किसी मार्ग विशेष पर चलने से पहले प्रत्येक बार संबंधित राज्य या संघ शासित प्रदेश के प्राधिकारियों/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण की अनुमित प्राप्त करनी होगी । ऐसे प्रत्येक आवागमन के लिए संबंधित प्राधिकारी द्वारा समय का निर्धारण किया जाना चाहिए ।
- (ix) वे राज्य / संघ शासित प्रदेश / भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के प्राधिकारियों द्वारा निर्धारित गति सीमा का पालन करेंगे ।
- (x) उक्त वाहन, यातायात के सामान्य आवागमन में कोई बाधा पंहुचाए बगैर चलाया जाना चाहिए ।
- (xi) सड़क पर चलने के लिए ट्रेलरों की अधिकतम गति दस कि. मी. / घंटा से अधिक नहीं होगी ।
- (xii) ट्रेलरों की संपूर्ण चौड़ाई में अगले एवं पिछले हिस्से पर पीले एवं काले रंग से जेवरा पट्टी बनाई जाएगी और उस पर रात्रि के समय चलाने के लिए विधिवत लिखा होना चाहिए/पार्किंग के लिए आगे, और पीछे समुचित रूप से लाल बत्ती होनी चाहिए तथा दिन में दोनों ओर लाल झण्डी लगाई जाएंगी, जिससे वाहन की सही-सही स्थिति का स्पष्ट रूप से पता चल सके। इसके अतिरिक्त ,माल का बाहरी भाग पूरी तरह से एक लाल परावर्तक / परावर्ती टेप से ढका होना चाहिए ताकि रात्रि के समय बाहरी भाग निर्विघ्न रूप से दिखाई दे।
- (xiii) मैं. यू.टी.सी. कैरियर, फरीदाबाद, सड़कों अथवा सड़क ढांचों / अन्य सड़क प्रयोक्ताओं /व्यक्तियों को ऐसे वाहनों के प्रचालन के कारण प्रत्यक्ष अथवा अप्रत्यक्ष रूप से हुई किसी क्षति के लिए राज्य / संघ शासित प्रदेश सरकार/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण या किसी अन्य प्रभावित व्यक्ति को ऐसी राशि का भुगतान करने के लिए जिम्मेदार होगा।
- (xiv) मैं. यू.टी.सी. कैरियर, फरीदाबाद, ऐसे प्रतिबंधों का पालन करेंगे जो इस संबंध में राज्य सरकारों/ संघ शासित प्रदेश /भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा आदेश द्वारा विनिर्दिष्ट किए जाएं।
- (xv) मैं. यू.टी.सी. कैरियर, फरीदाबाद, ऐसे वाहनों के प्रत्येक बार आवागमन के संबंध में राज्य सरकार/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा इस संबंध में विनिर्दिष्ट ऐसे प्राधिकारी या अधिकारी को अग्रिम सूचना देगा।
- (xvi) . पंजीकरण प्रमाण पत्र में एक विशेष प्रविष्टि की जाए कि वाहनों के मालिक के लिए यह आवश्यक होगा कि वह प्रत्येक प्रचालन के लिए संबंधित प्राधिकारी अर्थात राज्य सरकार / संघ शासित प्रदेश सरकार / भारतीय राष्ट्रीय राजमार्ग प्राधिकरण से अनुमित प्राप्त करे ।
- 7. केन्द्रीय मोटरयान नियमावली, 1989 के नियम 47 के तहत निर्धारित शर्ते पूरी करने तथा बिक्री दस्तावेज (बीजक, सभी करों के भुगतान का सबूत) प्रस्तुत करने के बाद ही हरियाणा राज्य में ट्रेलरों का पंजीकरण किया जाएगा ।

MINISTRY OF SHIPPING, ROAD TRANSPORT AND HIGHWAYS

(Department of Road Transport and Highways)

NOTIFICATION

New Delhi, the 6th February, 2007

S.O. 127(E).—In exercise of the powers conferred by sub-section (3) of Section 58 and subsection 3(a) of Section 110 of the Motor Vehicles Act, 1988; the Central Government hereby accords approval to the registration in Haryana of following trailers with maximum safe laden weight and dimensions as mentioned in the Schedule appended hereto:

SCHEDULE

Type of trailers

Independent trailers

Owned by 2.

M/S UTC Carriers, Faridabad.

Manufactured by 3.

M/S Tratac Engineers Pvt. Ltd., Gurgaon.

No. of trailers 4.

Three

5. Descri	ption of				Marriage	Moight
Chassis No.	No. of Axles	No., Description, Size of tyres	Measurements (Length X Width X Hight)	Unladen Weight (in Kgs.)	Maximum Per Axle Load (in Kgs)	Weight Gross/Kgs.
			12612 mm X	27,000	18,000	1,08,000
09/06/00426 09/06/00427	6 Rows	7.50 X 20, 12 Ply 8 in	3000 mm X	27,000	10,000	1
	(2 in	each axle in 2 rows	1250 mm			' - ·
	line axles)	(6 X 8 = 48				J
09/06/00428	4	tyres) 7.50 X 20,	9512 mm X	17,800	18,000	72,000
09/00/00420	Rows	12 Ply 8 in	3000 mm X			
	(2 in	each axle in 2 rows	1250 mm	000		
	line axles)	(4 X 8 = 32		,		
	1 *	tyres)		L		

The above relaxation is subject to the conditions that ;-6.

The operations of the trailers shall be done only sparingly.

Load restrictions on various roads stipulated by the Public Works Department/Local Authorities/National Highway Authority of India will be observed and permission of such authorities will be obtained every time the vehicles are put on the roads. Each of such movement of the trailers will be approved and closely monitored by the concerned road authorities in State/Union Territory /National Highway Authority of India from safety point of view.

The vehicles should display all danger flags and lights, preferably the vehicle should be preceded and followed by a vehicle displaying prominently that a heavy load

is passing.

Coupling of the trailers along side by side the width of the road shall not be (iv) permitted.

The program of the movement of the trailers should be intimated at least ten days in advance to the Executive Engineers concerned and their clearance obtained. . (v)

The trailers shall be registered individually and not as a combination.

If so directed by the Public Works Department of a State/ Union Territory /National Highway Authority of India, the loaded vehicles will not be allowed to pass over the bridges on the roads in that State/Union Territory and in such cases applicants will have to make their own arrangements to cross the rivers/ drains.

- (viii) They would need to obtain permission each and every time before moving on a particular route from concerned State or Union Territory Authorities/National Highway Authority of India enroute in view of the oversized cargo. For each such movement, the timing should be prescribed by the concerned authority.
- (ix) They would adhere to the speed limits prescribed by the authorities in State/Union Territory/National Highway Authority of India.
- (x) The said vehicles should be moved without any hindrance to the normal flow of traffic.
- (xi) The maximum speed of the trailers for movement on the road shall not exceed 10 kms/hour.
- (xii) The trailers shall be painted for the entire width by yellow and black zebra strips on the front and rear sides duly marked for night time driving/ parking suitably by red lamps at the front and rear and red flags on both the sides during day time to indicate the extreme position of the vehicles clearly. In addition the entire overhang shall be covered with a red reflector/ reflective tape to facilitate clear vision of overhang at night time.
- (xiii) M/S UTC Carriers, Faridabad, would be liable to pay such amount to the Government of State/Union Territory /National Highway Authority of India or any other affected person where any damage is caused to the roads or road structures/other road users/person directly or indirectly due to the movement of the trailers.
- (xiv) M/S UTC Carriers, Faridabad, will observe such restrictions as the State/ Union Territory Government/National Highway Authority of India may by order specify in this behalf.
- (xv) M/S UTC Carriers, Faridabad, will give an advance intimation to such authority or officer specified in this behalf by the State Government/National Highway Authority of India regarding each movement of such vehicles.
- (xvi) A specific entry in Registration Certificate is to be made that the trailers owner in case of each and every movement will be required to take the permission of concerned Authority i.e. State Govt./Union Territory Govt./National Highway Authority of India.
- 7. The trailers shall be registered in the State of Haryana only subject to fulfillment of conditions laid down under Rule 47 of the Central Motor Vehicles Rules, 1989 and production of sale documents (invoice, proof of payment of all taxes).

[F. No. RT-11042/29/2006-MVL] SAROJ KUMAR DASH, Jt. Secy.